

## Trout Lakes&lt;0.44

Regional Board	Station Name	Study Year	Common Name	Sample Type	Mercury ( $\mu\text{g/g ww}$ )	Notes		
1	Cleone Lake	2	Rainbow Trout	C1	0.02		0.2 RBT	small
1	Cleone Lake	2	Rainbow Trout	C2	0.02		0.2 RBT	small
1	Howard Lake	2	Rainbow Trout	C1	0.02			
1	Howard Lake	2	Rainbow Trout	C2	0.02			
1	Kangaroo Lake	2	Rainbow Trout	C2	0.02			
1	Kangaroo Lake	2	Rainbow Trout	C1	0.03			
1	Lewiston Lake	2	Rainbow Trout	C2	0.03			
1	Lewiston Lake	2	Rainbow Trout	C1	0.04			
1	Trinity Lake	1	Rainbow Trout	C4	0.05			
1	Trinity Lake	1	Rainbow Trout	C3	0.08			
1	Trinity Lake	1	Rainbow Trout	C1	0.11			
1	Trinity Lake	1	Rainbow Trout	C2	0.11			
2	Pilarcitos Lake	1	Rainbow Trout	C2	0.26	fishing not allowed		
2	Pilarcitos Lake	1	Rainbow Trout	C1	0.27	fishing not allowed		
3	Jameson Lake	1	Rainbow Trout	C1	0.19			
3	Jameson Lake	1	Rainbow Trout	C2	0.27			
4	Castaic Lagoon	1	Rainbow Trout	C1	0.03	not popular enough to bother with for this study		
5	Beardsley	2	Rainbow Trout	C1	0.05			
5	Beardsley	2	Rainbow Trout	C2	0.06			
5	Big Lake	2	Rainbow Trout	C1	0.02			
5	Big Reservoir	2	Rainbow Trout	C2	0.02			
5	Big Reservoir	2	Rainbow Trout	C1	0.02			
5	Bowman Lake	2	Brown Trout	C2	0.13			
5	Bowman Lake	2	Brown Trout	C1	0.16			
5	Bucks Lake	2	Rainbow Trout	C1	0.02			
5	Bucks Lake	2	Rainbow Trout	C2	0.02			
5	Butte Lake	2	Rainbow Trout	C1	0.02			
5	Caples Lake	1	Brown Trout	C1	0.08	popular trout fishing	0.4 BT	small
5	Caples Lake	1	Brown Trout	C2	0.12	popular trout fishing	0.4 BT	small
5	Castle Lake	2	Rainbow Trout	C2	0.03			
5	Castle Lake	2	Rainbow Trout	C1	0.04			
5	Cave Lake	2	Brook Trout	C1	0.18			
5	Cave Lake	2	Brook Trout	C2	0.21			
5	Courtright Reservoir	2	Rainbow Trout	C2	0.04			
5	Courtright Reservoir	2	Rainbow Trout	C1	0.06			
5	Duncan Reservoir	2	Rainbow Trout	C1	0.04			
5	Faucherie Lake	2	Rainbow Trout	C2	0.02			
5	Faucherie Lake	2	Rainbow Trout	C1	0.02			
5	Florence Lake	1	Brown Trout	C1	0.09			

Trout Lakes<0.44

Regional Board	Station Name	Study Year	Common Name	Sample Type	Mercury (µg/g ww)	Notes		
5	Florence Lake	1	Brown Trout	C2	0.10			
5	French Meadows Reservoir	1	Rainbow Trout	C2	0.06			
5	French Meadows Reservoir	1	Rainbow Trout	C1	0.11			
5	Frenchman Lake	1	Rainbow Trout	C2	0.12			
5	Frenchman Lake	1	Rainbow Trout	C1	0.14			
5	Fuller Lake	1	Brown Trout	C2	0.08			
5	Fuller Lake	1	Brown Trout	C1	0.09			
5	Gold Lake	1	Rainbow Trout	C2	0.06	popular camping area, OHV, mountain biking, hiking.	0.5 RBT	small
5	Gold Lake	1	Rainbow Trout	C1	0.07	popular camping area, OHV, mountain biking, hiking.	0.5 RBT	small
5	Gumboot Lake	1	Rainbow Trout	C1	0.03			
5	Gumboot Lake	1	Rainbow Trout	C2	0.05			
5	Harry L Englebright Lake	2	Rainbow Trout	C1	0.08			
5	Hell Hole Reservoir	2	Brown Trout	C1	0.05			
5	Hell Hole Reservoir	2	Brown Trout	C2	0.28			
5	Hume Lake	2	Rainbow Trout	C1	0.02			
5	Hume Lake	2	Rainbow Trout	C2	0.02			
5	Huntington Lake	2	Rainbow Trout	C1	0.04	boat slips & large boat parking area, close proximity to Mammoth Pool Reservoir	1.4 RBT	medium
5	Huntington Lake	2	Rainbow Trout	C2	0.13	boat slips & large boat parking area, close proximity to Mammoth Pool Reservoir	1.4 RBT	medium
5	Ice House Reservoir	2	Rainbow Trout	C2	0.03	very popular camping area, OHV, hiking	0 RBT	small
5	Ice House Reservoir	2	Rainbow Trout	C1	0.03	very popular camping area, OHV, hiking	0 RBT	small
5	Iron Canyon Reservoir	2	Rainbow Trout	C1	0.06			
5	Jackson Meadow Reservoir	2	Rainbow Trout	C2	0.06			
5	Jackson Meadow Reservoir	2	Rainbow Trout	C1	0.09			
5	Jenkinson Lake	2	Rainbow Trout	C2	0.03			
5	Jenkinson Lake	2	Rainbow Trout	C1	0.03			
5	La Grange Reservoir	1	Rainbow Trout	C1	0.02			
5	La Grange Reservoir	1	Rainbow Trout	C2	0.03			
5	Lake Alpine	1	Rainbow Trout	C1	0.03	close proximity to Spicer Meadow and associated campgrounds & fairly large boat parking & ramps	0 RBT	small
5	Lake Alpine	1	Rainbow Trout	C2	0.03	close proximity to Spicer Meadow and associated campgrounds & fairly large boat parking & ramps	0 RBT	small
5	Lake Davis	2	Rainbow Trout	C3	0.03			
5	Lake Davis	2	Rainbow Trout	C1	0.04			
5	Lake Davis	2	Rainbow Trout	C2	0.04			
5	Lake Spaulding	2	Rainbow Trout	C2	0.02			
5	Lake Spaulding	2	Rainbow Trout	C1	0.02			
5	Lily Lake	2	Rainbow Trout	C1	0.03			
5	Lily Lake	2	Rainbow Trout	C2	0.05			
5	Little Grass Valley Reservoir	2	Rainbow Trout	C1	0.02			

## Trout Lakes&lt;0.44

Regional Board	Station Name	Study Year	Common Name	Sample Type	Mercury (µg/g ww)	Notes		
5	Little Grass Valley Reservoir	2	Rainbow Trout	C2	0.02			
5	Loon Lake	1	Brown Trout	C2	0.30	very popular camping area, OHV, hiking	4 BT	small
5	Lower Bear River Reservoir	1	Rainbow Trout	C1	0.04			
5	Lower Bear River Reservoir	1	Rainbow Trout	C2	0.04			
5	Lower Blue Lake (Alpine Court)	2	Rainbow Trout	C1	0.02			
5	Lower Blue Lake (Alpine Court)	2	Rainbow Trout	C2	0.02			
5	Mammoth Pool Reservoir	1	Rainbow Trout	C2	0.10	boat slips & large boat parking area, close proximity to Huntington	0 RBT	small
5	Mammoth Pool Reservoir	1	Rainbow Trout	C1	0.22	boat slips & large boat parking area, close proximity to Huntington	0 RBT	small
5	McCumber Reservoir	2	Rainbow Trout	C1	0.02			
5	McCumber Reservoir	2	Rainbow Trout	C2	0.02			
5	Medicine Lake	2	Brook Trout	C2	0.05			
5	Medicine Lake	2	Brook Trout	C1	0.06			
5	North Battle Creek Reservoir	2	Brown Trout	C1	0.03			
5	North Battle Creek Reservoir	2	Brown Trout	C2	0.04			
5	Pinecrest	1	Rainbow Trout	C2	0.03			
5	Pinecrest	1	Rainbow Trout	C1	0.03			
5	Reservoir C	2	Rainbow Trout	C2	0.01			
5	Reservoir C	2	Rainbow Trout	C1	0.02			
5	Scotts Flat Reservoir	2	Rainbow Trout	C1	0.03			
5	Scotts Flat Reservoir	2	Rainbow Trout	C2	0.03			
5	Silver Lake	2	Rainbow Trout	C1	0.05	popular trout fishing	0 RBT	small
5	Spicer Meadow Reservoir	2	Rainbow Trout	C2	0.12	close proximity to Lake Alpine and associated campgrounds & fairly large boat parking & ramps	0 RBT	small
5	Spicer Meadow Reservoir	2	Rainbow Trout	C1	0.15	close proximity to Lake Alpine and associated campgrounds & fairly large boat parking & ramps	0 RBT	small
5	Stump Meadow Lake	1	Brown Trout	C1	0.06			
5	Success Lake	2	Rainbow Trout	C2	0.02			
5	Success Lake	2	Rainbow Trout	C1	0.03			
5	Success Lake	2	Rainbow Trout	C3	0.03			
5	Union Valley Reservoir	2	Rainbow Trout	C2	0.02			
5	Union Valley Reservoir	2	Rainbow Trout	C1	0.03			
5	Upper Blue Lake	2	Rainbow Trout	C2	0.02			
5	Upper Blue Lake	2	Rainbow Trout	C1	0.03			
5	White Pines Lake	1	Rainbow Trout	C1	0.03			
5	White Pines Lake	1	Rainbow Trout	C2	0.03			
5	Wishon Reservoir	1	Rainbow Trout	C2	0.04			
5	Wishon Reservoir	1	Rainbow Trout	C1	0.05			
6	Apollo Lake	2	Rainbow Trout	C1	0.03			
6	Apollo Lake	2	Rainbow Trout	C2	0.04			

## Trout Lakes&lt;0.44

Regional Board	Station Name	Study Year	Common Name	Sample Type	Mercury ( $\mu\text{g/g ww}$ )	Notes		
6	Boca Reservoir	2	Rainbow Trout	C1	0.03			
6	Bridgeport Reservoir	1	Rainbow Trout	C2	0.02			
6	Bridgeport Reservoir	1	Rainbow Trout	C1	0.02			
6	Convict Lake	2	Rainbow Trout	C2	0.02			
6	Convict Lake	2	Rainbow Trout	C1	0.02			
6	Crater Lake	1	Rainbow Trout	C2	0.04			
6	Crater Lake	1	Rainbow Trout	C1	0.07			
6	Dodge Reservoir	2	Rainbow Trout	C2	0.03			
6	Dodge Reservoir	2	Rainbow Trout	C1	0.03			
6	Donner Lake	1	Rainbow Trout	C1	0.04			
6	Donner Lake	1	Rainbow Trout	C2	0.04			
6	Eagle Lake	1	Eagle Lake Trout	C3	0.05			
6	Eagle Lake	1	Eagle Lake Trout	C4	0.05			
6	Eagle Lake	1	Eagle Lake Trout	C2	0.06			
6	Eagle Lake	1	Eagle Lake Trout	C1	0.07			
6	Ellery Lake	2	Rainbow Trout	C2	0.02			
6	Ellery Lake	2	Rainbow Trout	C1	0.02			
6	Fallen Leaf Lake	2	Lake Trout	C2	0.15			
6	Fallen Leaf Lake	2	Lake Trout	C1	0.16			
6	Grant Lake	1	Rainbow Trout	C1	0.03			
6	Grant Lake	1	Rainbow Trout	C2	0.03			
6	Gull Lake	2	Rainbow Trout	C1	0.02			
6	Gull Lake	2	Rainbow Trout	C2	0.02			
6	Indian Creek Reservoir	2	Rainbow Trout	C2	0.07			
6	Indian Creek Reservoir	2	Rainbow Trout	C1	0.08			
6	June Lake	2	Rainbow Trout	C1	0.03			
6	June Lake	2	Rainbow Trout	C2	0.04			
6	Lake Crowley	1	Rainbow Trout	C1	0.08			
6	Lake Crowley	1	Rainbow Trout	C2	0.13			
6	Lake George	1	Rainbow Trout	C1	0.03			
6	Lake Mamie	2	Rainbow Trout	C1	0.02			
6	Lake Mamie	2	Rainbow Trout	C2	0.02			
6	Lake Mary	1	Rainbow Trout	C2	0.03			
6	Lake Mary	1	Rainbow Trout	C1	0.04			
6	Lake Sabrina	2	Rainbow Trout	C2	0.02			
6	Lake Sabrina	2	Rainbow Trout	C1	0.03			
6	Lake Tahoe	1	Rainbow Trout	C3	0.04			
6	Lake Tahoe	1	Rainbow Trout	C1	0.06			
6	Lake Tahoe	1	Rainbow Trout	C4	0.07			

## Trout Lakes&lt;0.44

Regional Board	Station Name	Study Year	Common Name	Sample Type	Mercury ( $\mu\text{g/g ww}$ )	Notes		
6	Lake Tahoe	1	Rainbow Trout	C2	0.08			
6	Lundy Lake	2	Rainbow Trout	C2	0.05			
6	Lundy Lake	2	Rainbow Trout	C1	0.06			
6	Pleasant Valley Reservoir	2	Rainbow Trout	C2	0.06			
6	Pleasant Valley Reservoir	2	Rainbow Trout	C1	0.08			
6	Prosser Creek Reservoir	1	Rainbow Trout	C2	0.09			
6	Prosser Creek Reservoir	1	Rainbow Trout	C1	0.10			
6	Rock Creek Lake	2	Rainbow Trout	C2	0.02			
6	Rock Creek Lake	2	Rainbow Trout	C1	0.03			
6	Saddlebag Lake	2	Rainbow Trout	C1	0.02			
6	Saddlebag Lake	2	Rainbow Trout	C2	0.03			
6	Silver Lake (Region 6)	1	Brown Trout	C1	0.05			
6	Spring Valley Lake	1	Rainbow Trout	C1	0.03			
6	Spring Valley Lake	1	Rainbow Trout	C2	0.04			
6	Stampede Reservoir	2	Rainbow Trout	C2	0.02			
6	Stampede Reservoir	2	Rainbow Trout	C3	0.03			
6	Stampede Reservoir	2	Rainbow Trout	C1	0.03			
6	Tioga Lake	2	Rainbow Trout	C2	0.02			
6	Tioga Lake	2	Rainbow Trout	C1	0.03			
6	Topaz Lake	2	Rainbow Trout	C1	0.18			
6	Twin Lakes	2	Rainbow Trout	C2	0.02			
6	Twin Lakes	2	Rainbow Trout	C1	0.02			
6	Upper Twin Lake	1	Brown Trout	C1	0.06			
6	Virginia Lakes	1	Rainbow Trout	C1	0.03			
6	Virginia Lakes	1	Rainbow Trout	C2	0.03			
8	Lake Hemet	2	Rainbow Trout	C1	0.03			

Bass Lakes<0.44

Regional Board	Station Name	Study Year	Common Name	Sample Type	Mercury (µg/g ww)	Notes	PCBs (ppb)	Size
1	Reservoir F	1	Largemouth Bass	350AVE1	0.15			
1	Lake Shastina	2	Largemouth Bass	350AVE1	0.23		0.4 LMB	small
1	Copco Lake	2	Largemouth Bass	350AVE1	0.31		0 LMB	small
1	Iron Gate Reservoir	2	Largemouth Bass	350AVE1	0.33		1.3 LMB	small
1	Dead Lake	2	Largemouth Bass	350AVE1	0.37			
1	Spring Lake	1	Largemouth Bass	350AVE1	0.38		0 LMB	small
2	Lake Vasona	2	Largemouth Bass	350AVE1	0.16	high PCBs	<204	
2	Briones Reservoir	1	Largemouth Bass	350AVE1	0.16	fishing not allowed		
2	Calaveras Reservoir	1	Largemouth Bass	350AVE2	0.31	Other bass sample 0.86 ppm Hg		
2	Bon Tempe Lake	1	Largemouth Bass	350AVE1	0.33		0.1 LMB	small
2	Lafayette Reservoir	2	Largemouth Bass	350AVE1	0.34		11 catfish	small
2	Shadow Cliffs Reservoir	2	Largemouth Bass	350AVE1	0.39		12 catfish	small
2	Nicasio Lake	2	Largemouth Bass	350AVE1	0.40		0 LMB	small
2	Lake Henne	1	Largemouth Bass	350AVE1	0.41		0.1 LMB	small
2	Lake Chabot (Vallejo)	1	Largemouth Bass	350AVE1	0.41		<31 carp	small
3	Lopez Lake	2	Largemouth Bass	350AVE1	0.10			
3	Loch Lomond Reservoir	2	Largemouth Bass	350AVE1	0.11			
3	Little Oso Flaco Lake	2	Largemouth Bass	350AVE1	0.16			
3	Pinto Lake	1	Largemouth Bass	350AVE1	0.19			
3	Santo Margarita Lake	2	Largemouth Bass	350AVE1	0.21			
3	Lake San Antonio	1	Largemouth Bass	350AVE2	0.28			
3	Lake San Antonio	1	Largemouth Bass	350AVE1	0.30			
3	Lake San Antonio	1	Largemouth Bass	350AVE3	0.32			
3	Lake Cachuma	2	Largemouth Bass	350AVE3	0.40			
4	Toluca Lake	1	Largemouth Bass	350AVE1	0.00	not popular enough to bother with for this study		
4	Lake Calabasas	1	Largemouth Bass	350AVE1	0.03	not popular enough to bother with for this study		
4	Echo Lake (Reg 4)	1	Largemouth Bass	350AVE1	0.08	popular urban lake, but it was just rehabilitated and restocked		
4	Westlake Lake	1	Largemouth Bass	350AVE1	0.09	not popular enough to bother with for this study		
4	Malibou Lake	1	Largemouth Bass	350AVE1	0.12	not popular enough to bother with for this study		
4	Lincoln Park Lake	1	Largemouth Bass	350AVE1	0.15	not popular enough to bother with for this study		
4	Castaic Lagoon	1	Largemouth Bass	350AVE1	0.18	not popular enough to bother with for this study		
4	Legg Lake	1	Largemouth Bass	350AVE1	0.18	popular urban lake, but not as big - already have enough data	<20 Carp, <24 LMB	small
4	Lake Hughes	1	Largemouth Bass	350AVE1	0.20	not popular enough to bother with for this study		
4	Alondra Park Lake	1	Largemouth Bass	350AVE1	0.20	not popular enough to bother with for this study		
4	Castaic Lake	1	Largemouth Bass	350AVE2	0.24	very large and lots of fishing	<19 Carp, <17 LMB	medium
4	Castaic Lake	1	Largemouth Bass	350AVE1	0.39	very large and lots of fishing	<19 Carp, <17 LMB	medium
4	Lake Casitas	1	Largemouth Bass	350AVE2	0.29	very large and lots of fishing	<15 Carp, <3 LMB	medium

Bass Lakes<0.44

Regional Board	Station Name	Study Year	Common Name	Sample Type	Mercury (µg/g ww)	Notes	PCBs (ppb)	Size
4	Lake Casitas	1	Largemouth Bass	350AVE1	0.38	very large and lots of fishing	<15 Carp, <3 LMB	medium
4	Ken Hahn Park Lake	1	Largemouth Bass	350AVE1	0.30	not popular enough to bother with for this study		
4	Elderberry Forebay	1	Largemouth Bass	350AVE1	0.32	not popular enough to bother with for this study		
4	K Road Water Conservation	1	Largemouth Bass	350AVE1	0.36	not popular enough to bother with for this study		
4	El Dorado Lakes	1	Largemouth Bass	350AVE1	0.36	not popular enough to bother with for this study		
4	Pyramid Lake	1	Largemouth Bass	350AVE2	0.33	popular lake, but PCBs were incredibly high		
4	Pyramid Lake	1	Largemouth Bass	350AVE1	0.37	popular lake, but PCBs were incredibly high		
5	Shasta Lake	1	Spotted Bass	AVE4	0.03			
5	Lake of the Pines	1	Largemouth Bass	350AVE1	0.07	no other fish, no acillary, receives water from highly contaminated Lake Combie	0 LMB	small
5	Bass Lake	2	Largemouth Bass	350AVE1	0.09	only 1 other fish sample, BAF study sampled MeHg once at 7 depths: 5 NDs, 0.042 & 0.03, 1 sediment THg 0.005	0 Bullhead	small
5	Lake Almanor	2	Smallmouth Bass	AVE2	0.10			
5	Antelope Lake	2	Largemouth Bass	350AVE1	0.11			
5	Shasta Lake	1	Spotted Bass	AVE3	0.11			
5	Lake Almanor	2	Smallmouth Bass	AVE4	0.11			
5	Butt Valley Reservoir	2	Smallmouth Bass	AVE2	0.12			
5	Lake Almanor	2	Smallmouth Bass	AVE3	0.15			
5	Whiskeytown Lake	2	Largemouth Bass	350AVE2	0.16	Has much fish data, >41 LMB, plus many other species (SMB:0.36, SPM:0.34, SacSkr:0.44), no ancillary	0 LMB	large
5	Whiskeytown Lake	2	Largemouth Bass	350AVE3	0.16	Has much fish data, >41 LMB, plus many other species (SMB:0.36, SPM:0.34, SacSkr:0.44), no ancillary	0 LMB	large
5	Whiskeytown Lake	2	Largemouth Bass	350AVE1	0.22	Has much fish data, >41 LMB, plus many other species (SMB:0.36, SPM:0.34, SacSkr:0.44), no ancillary	0 LMB	large
5	Isabella Lake	2	Largemouth Bass	350AVE3	0.16			
5	Blue Lakes	2	Largemouth Bass	350AVE1	0.16			
5	Jenkinson Lake	2	Largemouth Bass	350AVE1	0.16	6 species of fish, SMB (n=4, ave > 0.28), no ancillary	0 RBT	small
5	Paradise Lake	2	Largemouth Bass	350AVE1	0.16	no other species data, BAF study sampled MeHg once at 5 depths all ND, 1 sediment THg: 0.15, 2 chl-a: 1.6 & 0.66	0 LMB	small
5	Thermalito Afterbay	1	Largemouth Bass	350AVE2	0.17			
5	Butt Valley Reservoir	2	Smallmouth Bass	AVE1	0.17			
5	Marsh in Fresno Slough	1	Largemouth Bass	350AVE1	0.17			
5	Shasta Lake	1	Spotted Bass	AVE2	0.18			
5	Lake Britton	2	Smallmouth Bass	AVE1	0.18			
5	Isabella Lake	2	Largemouth Bass	350AVE1	0.19			
5	Contra Loma Reservoir	1	Largemouth Bass	350AVE1	0.20			
5	Modesto Reservoir	1	Smallmouth Bass	AVE1	0.20			
5	Unnamed Lake 1	1	Largemouth Bass	350AVE1	0.20			
5	Unnamed Lake 2	1	Largemouth Bass	350AVE1	0.20			
5	O'Neill Forebay	1	Largemouth Bass	350AVE2	0.21			
5	Isabella Lake	2	Largemouth Bass	350AVE2	0.21			

## Bass Lakes&lt;0.44

Regional Board	Station Name	Study Year	Common Name	Sample Type	Mercury ( $\mu\text{g/g ww}$ )	Notes	PCBs (ppb)	Size
5	Lake Almanor	2	Smallmouth Bass	AVE1	0.21			
5	Turlock Lake	1	Largemouth Bass	350AVE3	0.21			
5	Los Vaqueros Reservoir	2	Largemouth Bass	350AVE2	0.21			
5	Yosemite Lake	1	Largemouth Bass	350AVE1	0.21			
5	Clear Lake	2	Largemouth Bass	350AVE1	0.21			
5	Lake Webb	2	Largemouth Bass	350AVE1	0.22			
5	Turlock Lake	1	Largemouth Bass	350AVE2	0.23			
5	Clear Lake	2	Largemouth Bass	350AVE4	0.23			
5	Turlock Lake	1	Largemouth Bass	350AVE1	0.24			
5	Siskiyou Lake	2	Smallmouth Bass	AVE1	0.24			
5	Woodward Reservoir	1	Largemouth Bass	350AVE2	0.25			
5	Thermalito Afterbay	1	Largemouth Bass	350AVE1	0.26			
5	Los Vaqueros Reservoir	2	Largemouth Bass	350AVE1	0.26			
5	O'Neill Forebay	1	Largemouth Bass	350AVE1	0.26			
5	Camanche Reservoir	2	Largemouth Bass	350AVE2	0.27			
5	Lake California	1	Largemouth Bass	350AVE1	0.27			
5	New Bullards Bar Reservoir	2	Largemouth Bass	350AVE1	0.27			
5	Modesto Reservoir	1	Smallmouth Bass	AVE2	0.27			
5	Finger Lake	1	Largemouth Bass	350AVE1	0.29			
5	Jenkinson Lake	2	Smallmouth Bass	AVE1	0.29			
5	Brite Valley Lake	2	Largemouth Bass	350AVE1	0.29			
5	Lower Blue Lake	1	Largemouth Bass	350AVE1	0.30			
5	Clear Lake	2	Largemouth Bass	350AVE2	0.30			
5	Clear Lake	2	Largemouth Bass	350AVE3	0.31			
5	Millerton Lake	1	Largemouth Bass	350AVE1	0.31			
5	Woodward Reservoir	1	Largemouth Bass	350AVE1	0.31			
5	Castac Lake	1	Largemouth Bass	350AVE1	0.32			
5	Shasta Lake	1	Spotted Bass	AVE1	0.32			
5	Camanche Reservoir	2	Largemouth Bass	350AVE3	0.33			
5	Folsom Lake	2	Largemouth Bass	350AVE3	0.34			
5	Stony Gorge Reservoir	1	Largemouth Bass	350AVE1	0.34			
5	Discovery Bay	1	Largemouth Bass	350AVE1	0.36			
5	Millerton Lake	1	Largemouth Bass	350AVE2	0.36			
5	New Hogan Lake	2	Largemouth Bass	350AVE2	0.37			
5	Tulloch Reservoir	1	Largemouth Bass	350AVE1	0.37			
5	Camanche Reservoir	2	Largemouth Bass	350AVE1	0.38			
5	Collins Lake	2	Largemouth Bass	350AVE1	0.38			
5	New Bullards Bar Reservoir	2	Largemouth Bass	350AVE2	0.38			
5	East Park Reservoir	1	Largemouth Bass	350AVE1	0.39			
5	Lake Oroville	1	Smallmouth Bass	AVE4	0.39			
5	Don Pedro Reservoir	1	Largemouth Bass	350AVE2	0.40			



## Bass Lakes&lt;0.44

Regional Board	Station Name	Study Year	Common Name	Sample Type	Mercury ( $\mu\text{g/g ww}$ )	Notes	PCBs (ppb)	Size
5	Millerton Lake	1	Largemouth Bass	350AVE3	0.40			
5	New Hogan Lake	2	Largemouth Bass	350AVE1	0.41			
5	Lake Oroville	1	Smallmouth Bass	AVE3	0.42			
6	Palmdale Lake	1	Largemouth Bass	350AVE1	0.13			
6	Lake Gregory	2	Largemouth Bass	350AVE1	0.19			
6	Lake Arrowhead	2	Largemouth Bass	350AVE1	0.34			
7	Gene Wash Reservoir	1	Largemouth Bass	350AVE1	0.08			
7	Ferguson Lake	1	Largemouth Bass	350AVE1	0.09			
7	Senator Wash Reservoir	1	Largemouth Bass	350AVE1	0.15			
8	Lake Evans	2	Largemouth Bass	350AVE1	0.03			
8	Prado Lake	1	Largemouth Bass	350AVE1	0.07			
8	Perris Reservoir	2	Largemouth Bass	350AVE1	0.10			
8	Perris Reservoir	2	Largemouth Bass	350AVE2	0.10			
8	Lake Elsinore	1	Largemouth Bass	350AVE1	0.12			
8	Lake Elsinore	1	Largemouth Bass	350AVE2	0.12			
8	Lee Lake/Corona Lake	2	Largemouth Bass	350AVE1	0.16			
8	Lake Mathews	1	Striped Bass	AVE3	0.19			
8	Lake Mathews	1	Striped Bass	AVE2	0.20			
8	Lake Mathews	1	Striped Bass	AVE1	0.25			
9	Lake Poway	2	Largemouth Bass	350AVE1	0.05	Popular for fishing. Newer Reservoir, dam built in 1971. Storage for imported water treatment. Small watershed.	0.5 LMB	small
9	Lake Wohlford	2	Largemouth Bass	350AVE1	0.05	Moderately popular. Downstream from Henshaw...receives Henshaw water via canal	0.6 LMB	small
9	Dixon Lake	2	Largemouth Bass	350AVE1	0.06	Popular for fishing. Newer Reservoir, dam built in 1960s? Storage for imported water treatment. Small watershed	0.8 LMB	small
9	Lake Henshaw	2	Largemouth Bass	350AVE2	0.16	Popular. Sampling in Late Summer for Cyanotoxins in tissues	0 Carp	medium
9	Lake Henshaw	2	Largemouth Bass	350AVE1	0.19	Popular. Sampling in Late Summer for Cyanotoxins in tissues	0 Carp	small
9	Lake Jennings	2	Largemouth Bass	350AVE1	0.16	Popular. Newer Reservoir, dam built in 1965. Storage for imported water treatment. Small watershed	0.8 Catfish	small
9	Lower Otay Reservoir	1	Largemouth Bass	350AVE1	0.20	Large Watershed, heavily fished	<29 Carp	small
9	Sweetwater Reservoir	1	Largemouth Bass	350AVE1	0.23	Large Watershed, limited fishing access	12 Carp	small
9	Lake Hodges	1	Largemouth Bass	350AVE1	0.29	Large Watershed, heavily fished, majority watershed water	5 Carp	small
9	El Capitan Lake	2	Largemouth Bass	350AVE2	0.33	Popular. Sampling in May/June for general tissues	0.4 LMB	small
9	San Vicente Reservoir	1	Largemouth Bass	350AVE1	0.34	Large Watershed, heavily fished but currently CLOSED	6 Carp	small
9	Lake Sutherland	2	Largemouth Bass	350AVE1	0.34	Large watershed, moderate fishing, very low water levels 10% full	0 LMB	small
9	Morena Reservoir	2	Largemouth Bass	350AVE1	0.36	Popular. Sampling in Late summer for Cyanotoxins in tissues. 3% full	5 Carp	small
9	El Capitan Lake	2	Largemouth Bass	350AVE1	0.36	Popular. Sampling in May/June for general tissues	0.4 LMB	medium